

SPECIFICATIONS

All dimensions are in inches (millimeters) unless otherwise noted.

GENERAL INFORMATION

Body Style _____ Two-door coupe
 Assembly Plant _____ Mitsubishi Motors North America—Manufacturing Division (Normal, Illinois)
 EPA Vehicle Class _____ Compact car

ENGINE: 2.4-LITER, SOHC, 16-VALVE

Availability _____ Std.—Sebring
 Type and Description _____ I-4, liquid-cooled
 Displacement _____ 143.4 cu. in. (2351 cu. cm)
 Bore x Stroke _____ 3.41 x 3.94 (86.5 x 100)
 Valve System _____ SOHC, four valves/cylinder, hydraulic end-pivot roller followers
 Fuel Injection _____ Sequential, multi-port, electronic
 Construction _____ Cast-iron block, aluminum head and balance shafts
 Compression Ratio _____ 9:01
 Power (SAE net) _____ 142 bhp (106 kW) @ 5500 rpm (59.2 bhp/L)
 Torque (SAE net) _____ 155 lb.-ft. (210 N•m) @ 4000 rpm
 Fuel Requirement _____ Unleaded regular, 87 octane (R+M)/2
 Oil Capacity _____ 4 qt. (3.8L) plus filter
 Coolant Capacity _____ 8 qt. (7.6L)
 Emission Controls _____ Enhanced catalyst, heated oxygen sensor, EGR
 Maximum Gross Trailer Weight _____ 1,000 lbs. (455 kg)
 Estimated EPA Fuel Economy mpg (City/Hwy) _____ 21/28

ENGINE: 3.0-LITER, SOHC, 24-VALVE

Availability _____ Std.—Limited
 Type and Description _____ V-6, liquid-cooled
 Displacement _____ 181.4 cu. in. (2972 cu. cm)
 Bore x Stroke _____ 3.59 x 2.99 (91.1 x 76)
 Valve System _____ SOHC, four valves/cylinder, hydraulic lash adjusters, stamped-steel roller followers
 Fuel Injection _____ Sequential, multi-port, electronic
 Construction _____ Cast-iron block, aluminum head
 Compression Ratio _____ 9:01
 Power (SAE net) _____ 198 bhp (149 kW) @ 5500 rpm (66.7 bhp/L)—Limited
 Torque (SAE net) _____ 205 lb.-ft. (278 N•m) @ 4500 rpm
 Fuel Requirement _____ Unleaded regular, 87 octane (R+M)/2 (Use unleaded premium,
 91 octane (R+M)/2 to obtain maximum performance)
 Oil Capacity _____ 4 qt. (3.8L) plus filter
 Coolant Capacity _____ 8 qt. (7.6L)
 Emission Controls _____ Enhanced catalyst, heated oxygen sensor, EGR
 Maximum Gross Trailer Weight _____ 1,000 lbs. (455 kg)
 Estimated EPA Fuel Economy mpg (City/Hwy) _____ 20/28

continued

SPECIFICATIONS

ELECTRICAL SYSTEM

Alternator _____ 90-amp

Battery _____ 525 CCA, maintenance-free

TRANSAXLE: AUTOMATIC, FOUR-SPEED OVERDRIVE (WITH 2.4-LITER ENGINE)

Availability _____ Opt.—Sebring

Description _____ Electronic control, electronically modulated converter clutch

Gear Ratios

1st _____ 2.84

2nd _____ 1.52

3rd _____ 1

4th _____ 0.71

Final Drive _____ 4.04

Overall Top Gear _____ 2.86

TRANSAXLE: AUTOMATIC, FOUR-SPEED OVERDRIVE (WITH 3.0-LITER ENGINE)

Availability _____ Opt.—Limited

Description _____ Electronic control, electronically modulated converter clutch—std. all;
AutoStick®—optional on Limited

Gear Ratios

1st _____ 2.84

2nd _____ 1.49

3rd _____ 1

4th _____ 0.73

Final Drive _____ 3.73

Overall Top Gear _____ 2.72

DIMENSIONS AND CAPACITIES(a)

Wheelbase _____ 103.7 (2635)

Track, Front _____ 59.4 (1510)

Track, Rear _____ 59.3 (1505)

Overall Length _____ 191.9 (4875)

Overall Width _____ 69.9 (1775)

Overall Height _____ 53.9 (1370)

Ground Clearance _____ 6.22 (158)—2.4L engine with 16-inch tires

5.9 (150)—3.0L engine with 16-inch tires

5.9 (150)—3.0L engine with 17-inch tires

Estimated Curb Weight _____ 3,133 lbs. (1421 kg)—Sebring with 2.4L automatic

3,276 lbs. (1486 kg)—Limited 3.0L automatic

Weight Distribution, F/R _____ 60/40

Drag Coefficient _____ 0.36

Fuel Tank Capacity _____ 16.3 gal. (62L)

(a) All dimensions measured at curb weight with standard tires.

continued

SPECIFICATIONS

ACCOMMODATIONS

Seating Capacity _____ 2/3

Front

Head room _____ 38.5 (977)

Leg room _____ 42.3 (1074)

Shoulder room _____ 52.3 (1328)

Hip room _____ 51.9 (1318)

Rear

Head room _____ 36 (916)

Leg room _____ 34 (865)

Shoulder room _____ 52.4 (1330)

Hip room _____ 49.5 (1258)

Cargo Volume _____ 16.3 cu. ft. (462L)

Passenger Interior Volume _____ 86.4 cu. ft. (2.44 cu. m)

BODY

Layout _____ Transverse front engine, front-wheel drive

Construction _____ Steel unibody with isolated engine/suspension cradle and isolated rear suspension crossmember

SUSPENSION

Front _____ Independent MacPherson strut with coil springs and 17 mm stabilizer bar

Rear _____ Multi-link with coil springs and stabilizer bar

STEERING

Type _____ Rack and pinion; power-assisted

Overall Ratio _____ 17:01

Turning Diameter (curb-to-curb) _____ 42.3 ft. (12.9 m) with 16-inch wheels or 17-inch wheels

Steering Turns (lock-to-lock) _____ 3.15 with 16-inch wheels
2.8 with 17-inch wheels

TIRES

Sebring

Size and type _____ P205/60HR16 black sidewall all-season performance

Mfr. and model _____ Goodyear

Limited

Size and type _____ P215/50HR17 all-season touring performance

Mfr. and model _____ Goodyear

WHEELS

Sebring—Std.

Type and material _____ Steel

Size _____ 16 x 6 JJ

Sebring—Opt.

Type and material _____ Cast-aluminum

Size _____ 16 x 6 JJ

Limited—Std.

Type and material _____ Cast-aluminum

Size _____ 17 x 6.5 JJ

continued

SPECIFICATIONS

WHEELS (CONTINUED)

Limited—Opt.

Type and material _____ Cast-aluminum, chrome
 Size _____ 17 x 6.5 JJ

BRAKES

Sebring

Front

Size and type _____ 10.1 x 1 (256 x 23) ventilated disc with single-piston caliper
 Swept area _____ 184.7 sq. in. (1192 sq. cm)

Rear

Size and type _____ 9.0 (22.9) drum with leading and trailing shoes
 Swept area _____ 89.1 sq. in. (575 sq. cm)

Power Assist Type _____ Tandem diaphragm vacuum

Limited

Front

Size and type _____ 10.9 x 1 (276 x 23) ventilated disc with single-piston calipers
 Swept area _____ 205.9 sq. in. (1329 sq. cm)

Rear

Size and type _____ 14 (355) solid disc
 Swept area _____ 182.4 sq. in. (1177 sq. cm)

Power Assist Type _____ Tandem diaphragm vacuum

FEATURE AVAILABILITY

Sebring Limited

EXTERIOR

Colors—Black, Brilliant Silver Metallic, Deep Blue Pearl Coat, Dark Titanium Metallic, Indy Red, Deep Red Pearl Coat, Satin White Metallic and Silver Beige Metallic _____	O	O
Door Handles—Body color _____	S	S
Fascias—Body color _____	S	S
Glass—Tinted, all windows _____	S	S
Fog Lamps _____	S	S
Mirrors _____		
Power, dual (gloss Black) _____	S	—
Power, dual (body color) _____	—	S
Moldings _____		
Bodyside (body color with bright insert) _____	S	S
Belt (bright) _____	S	S
Window opening moldings (bright) _____	S	S
Mud Guards—Integral (body color) _____	S	S
Sun Roof—Power, with express-open, sliding sunshade and 30-second delay when ignition is turned off (includes dual rearview mirror reading lamps) _____	O	O
Wiper System—Variable intermittent, two-speed wipers with one-pass feature _____	S	S

INTERIOR

Air Conditioning—Manual temperature controls _____	S	S
Battery Saver—Turns off headlamps and interior courtesy lamps _____	S	S
Cargo Net—Trunk _____	—	S
Carpets—Floor and cargo area _____	S	S
Coat Hooks—Rear, dual _____	S	S
Colors—Black and Dark Taupe/Medium Taupe _____	O	O
Console—Full-length, floor with dual cup holders _____	S	S
Defroster—Rear window, electric _____	S	S
Floor Mats—Front and rear, carpeted _____	S	S
Glove Box _____	S	S
Instrument Cluster _____		
Gauges: 140-mph speedometer, tachometer, odometer, trip odometer, fuel level and engine coolant temperature _____	S	S
Lamps—Dual front courtesy/map, dual rear courtesy/reading, overhead courtesy/reading, glove box and trunk _____	S	S
Mirror, Rearview _____		
Day/night _____	S	S
Day/night with reading lamps (included with power sun roof) _____	P	P
Auto dimming with outside temperature, compass and HomeLink® universal home transceiver (included in Touring Group and Leather Interior Group) _____	P	P
Two power outlets—Auxiliary 12-volt, located in instrument panel and center console box _____	S	S

Legend: S = Standard O = Optional P = Available within package or group noted in parentheses

O/P = Item is a free-standing option and also included in a package or group — = Not available

continued

FEATURE AVAILABILITY

Sebring Limited

INTERIOR (CONTINUED)

Seat Trim			
Cloth _____	S		S
Leather (included in Leather Interior Group) _____	–		P
Seats, Front			
Reclining low-back buckets with driver memory recliner, easy-entry passenger seat track and adjustable head restraints _____	S		S
Six-way power driver seat (included in Touring Group on Sebring and Leather Interior Group on Limited) _____	P		P
Driver manual height adjuster (delete with power seat) _____	S		S
Seats, Rear: 60/40 split-folding rear bench _____	S		S
Shift Knob—Leather-wrapped _____	–		S
Sound Systems			
AM/FM radio with CD, four-disc CD changer and six speakers _____	S		–
AM/FM stereo radio with cassette, CD, equalizer and six speakers _____	O		–
AM/FM radio with CD and four-disc CD changer, seven-speaker Infinity sound system and steering wheel-mounted audio controls _____	–		S
AM/FM stereo radio with cassette, CD, seven-speaker Infinity sound system, equalizer and steering wheel-mounted audio controls _____	–		O
Speed Control—Electronic _____	S		S
Steering Column—Tilt _____	S		S
Steering Wheel—Leather-wrapped _____	–		S
Sun Visors—Cloth with illuminated mirrors, left and right with extensions _____	S		S
Trim Panels			
Front door: Premium vinyl with map pockets _____	S		S
Rear quarter: Molded with integral cup holders _____	S		S
Trunk Dress-up _____	S		S
Windows—Power with driver's one-touch open feature _____	S		S
POWERTRAIN AND CHASSIS			
2.4-liter I-4 engine and four-speed automatic transaxle (includes brake-park interlock) _____	S		–
3.0-liter V-6 engine and four-speed automatic transaxle (includes bright exhaust tip and brake-park interlock) _____	–		S
AutoStick®—Driver interactive automatic transaxle shifter (requires four-speed automatic transaxle) _____	–		O
Brakes			
Power front disc/rear drum _____	S		–
Power four-wheel disc _____	–		S
Anti-lock four-wheel disc (includes traction control with automatic transaxle) _____	–		O
Suspension—Touring _____	S		S
Tires			
Spare, compact _____	S		S
P205/60HR16 black sidewall all-season performance _____	S		–
P215/50HR17 black sidewall all-season performance _____	–		S
Wheels and Wheel Covers			
16-inch wheel covers _____	S		–
16-inch aluminum wheels _____	O		–
17-inch aluminum wheels _____	–		S
17-inch chrome aluminum wheels _____	–		O

continued

FEATURE AVAILABILITY

	Sebring	Limited
SAFETY AND SECURITY		
Door Locks—Power, automatic _____	S	S
Remote Keyless Entry System—Remote for doors and trunk with panic alarm and two transmitters (includes illuminated entry system) _____	S	S
Restraint Systems		
Air bags(a)—Next-generation, driver and front-passenger _____	S	S
Supplemental side air bags _____	O	O
Seat Belts _____		
Front: Height adjustable three-point seat belts with traveling inboard buckles _____	S	S
Rear: Three-point shoulder belts for all passengers _____	S	S
Security Alarm _____	S	S
Sentry Key® engine immobilizer with two encoded keys and customer programmable key replacement _____	S	S
Trunk Lid Release—Remote _____	S	S
User-Ready Child Seat Top Tether Anchors, three _____	S	S
BeltAlert Warning System _____	S	S
EQUIPMENT GROUPS		
Leather Interior Group—Royale leather-trimmed seats, six-way power driver seat and auto dimming mirror with compass and temperature and HomeLink® Universal three-channel home security system transceiver _____	—	O
Touring Group—Includes auto dimming mirror with compass and temperature display and HomeLink® security transceiver and six-way power driver seat _____	O	—

(a) Certified to federal regulations that allow less forceful air bags. Always use seat belts. Remember, a back seat is the safest place for children.

continued